NOTES:

- I. DO NOT SCALE THIS DRAWING.
- 2. MATERIALS AND FINISHES:


BODY - BRASS, GOLD PLATING (.000010 THICK MIN) OVER NICKEL CONTACT - BeCu, GOLD PLATING (.000030 THICK MIN) OVER NICKEL INSULATOR - PTFE

- 3. ELECTRICAL:
 - A. IMPEDANCE: 50 OHM


 - B. FREQUENCY RANGE: DC 6 GHz
 C. VSWR(RETURN LOSS): -32 dB TO 3 GHz MAX.; -25 dB TO 6 GHz MAX.
 (SINGLE CONNECTOR TERMINATED, NO PCB LAUNCH INCLUDED)
- - A. DURABILITY: 100 CYCLES MIN.
 B. TEMPERATURE RANGE: -40°C +80°C
 C. SUITABLE FOR SOLDER REFLOW PROCESSING
- 5. PACKAGING:

 - A. QUANTITY: SINGLE PACK
 B. MARKING: BAG TO BE MARKED
 "AMPHENOL, 930-107J-51P, AND DATE CODE"


930-I07J-5IP	REVISIONS								
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR				
THIRD ANGLE PROJ. 🕀 🖯	Α	RELEASE TO MFG.	3/21/03	44400					



SCALE 4.000







CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN MIKE HOYACK	DATE 13-Mar-03	QMA JACK PC MOUNT	Amphenol Corporation	
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they	REFERENCE	ENGINEER OWEN BARTHELMES	DATE 12/17/02	RECEPTACLE	Communication and Network Products Division	
are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any	EAR 806	APPROVED OWEN BARTHELMES	DATE 21-Mar-03		Danbury, CT U.S.A. 06810 SCALE: 10.0:1 SHEET 2 OF 2	-
		CAD FILE 1:\QMA\930-107J-51P		code id dwg sizedrawing n	30 - 107 J - 51P A	